Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	89	zuraski.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 18:56
L2	0	1 AND JITTER	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 18:56
L3	18	1 AND ALLOCAT$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 18:58
L4	1	1 AND LUKE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 18:58
S1	85	zuraski.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 18:56
S2	0	S1 and voip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 18:48
S3	0	S1 and jitter$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 18:49
S4	53	jitter adj (record$1 or table$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 18:51
S5	0	voip and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 18:50
S6	509	jitter adj (queu$3 or buffer$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 18:50

S7	211	S6 and voip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 18:50
S8	1227	jitter with (record$1 or table$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 18:56
S9	24	S8 and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 18:51
S10	1388	jitter with (record$1 or table$1 or statistic$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 18:57
S11	132	S10 same network$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 18:56
S12	6	S11 and "379"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 18:57
S13	92	jitter near3 statistic$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 18:57
S14	74	S13 and network$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 18:58
S15	18	S6 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 19:12
S16	1518	709/226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 19:12

S17	0	S16 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 19:12
S18	32460	"709"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 19:12
S19	16	S18 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 19:12
S20	51	grabelsky.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 10:25
S21	8	voip and S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 15:19
S22	2	("6434606").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 10:29
S23	2	S22 and jitter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 10:26
S24	0	S23 and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 10:27
S25	1727	network adj interface and jitter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 10:30
S26	94	(network adj interface) and (jitter same buffer same memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 10:27

S27	35	jitter same (statistic$1 and record$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 10:28
S28	0	S27 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 10:28
S29	786	jitter and (statistic$1 and record$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 10:28
S30	10	S29 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 10:29
S31	0	S22 and (cpu or processor$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 10:29
S32	20	("6434606").URPN.	USPAT	OR	OFF	2005/09/27 10:29
S33	1	S32 and S27	USPAT	OR	OFF	2005/09/27 10:29
S34	1813	(network adj (interface or adapter)) and jitter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 10:30
S35	209	S34 and S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 10:30
S36	144	S35 and memory and buffer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 10:30
S37	28	S35 and memory and (jitter same buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 10:31

S38	20	S35 and memory and (jitter with buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 10:33
S39	10	S38 and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 15:36
S40	68	jitter adj (record$1 or table$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 10:35
S41	1727	S25 and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 10:34
S42	1	S40 and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 10:34
S43	664	jitter adj (buffer$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 10:34
S44	0	S43 and S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 10:34
S45	23	S40 and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 10:38
S46	100342	(jitter or rout$3 or lookup or (look adj up)) near3 table$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 10:40
S47	433	S46 same jitter$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 10:40

S48	200	S47 and (record$1 or statistic$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 10:40
S49	107	S48 and @ad<"20010629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 10:41
S50	9	S34 and S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 10:43
S51	9	S50 and (cpu or processor$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 10:43
S52	20	(obtain$3 or receiv$3 or generat$4or transmit$4 or transfer$4 or transmission) near5 (jitter near2 (record$1 or statistic$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 15:34
S53	8	S52 and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 15:24
S54	6	S53 and (adapter or card or interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 15:30
S55	5	S54 and (cpu or processor$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 15:33
S56	46342	allocat$4 near4 (buffer or memory or storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 15:34
S57	0	S56 and S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 15:33

S58	0	S56 same (jitter near2 (record$1 or statistic$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 15:34
S59	1	S56 and (jitter near2 (record$1 or statistic$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 15:34
S60	2675	allocat$4 near4 portion near5 (buffer or memory or storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 15:34
S61	0	S60 same voip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 15:35
S62	12	S60 and voip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 15:35
S63	61	S60 and jitter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 15:35
S64	786	jitter and (statistic$1 and record$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 15:36
S65	1813	(network adj (interface or adapter)) and jitter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 15:36
S66	209	S65 and S64	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 15:36
S67	20	S66 and memory and (jitter with buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 15:36

S68	7	S67 and @ad<"20010410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 15:36
S69	44	S63 and @ad<"20010410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 16:09
S70	20	(("6816464") or ("6665317") or ("6434606") or ("20020129161") or ("20020184393") or ("5790543") or ("6788651") or ("20020101885") or ("20040218739") or ("20020001302")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 16:07
S71	4	S70 and allocat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 16:09
S72	18386	identif$3 near5 connection$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 16:09
S73	568	S72 and jitter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 16:09
S74	580	S72 and jitter$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 16:09
S75	62	S56 and S74	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 16:09
S76	40	S75 and @ad<"20010410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 16:29
S77	2	"6360271".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 16:21

S78	1	allocat$4 near5 buffer near5 (connection$1 or session$1) with jitter$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 16:21
S79	1	allocat$4 near5 (memory or stor$4 or buffer) near5 (connection$1 or session$1) with jitter$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 16:22
S80	3	allocat$4 with(memory or stor$4 or buffer) with (connection$1 or session$1) with jitter$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 16:23
S81	8	allocat$4 with(memory or stor$4 or buffer) with (connection$1 or session$1) same jitter$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 16:23
S82	8	(allocat$4 with(memory or stor$4 or buffer) with (connection$1 or session$1)) same jitter$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 16:26
S83	2	(allocat$4 near5 (per or each) near5 (connection$1 or session$1)) same jitter$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 16:30
S84	15228	(allocat$4 with (connection$1 or session$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 16:29
S85	897	S84 and jitter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 16:28
S86	121	S85 and S64	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 16:28
S87	60	S86 and @ad<"20010410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 16:29

S88	10520	(allocat$4 near7 (connection$1 or session$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 16:29
S89	54	S88 and S87	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 16:29
S90	64	S88 same voip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 16:29
S91	30	S90 and @ad<"20010410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	·2005/09/27 16:31
S92	138	(allocat$4 near5 (per or each) near5 (connection$1 or session$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 16:30
S93	117	(allocat$4 near7 (per or each) near (connection$1 or session$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 16:31
S94	192	(allocat$4 near7 (per or each) near7 (connection$1 or session$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 16:31
S95	126	S94 and @ad<"20010410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 16:37
S96	1	S95 and voip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 16:31
S97	70	(allocat$4 with (buffer or memory) with (per or each) with (connection$1 or session$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 16:32

S98	75	(allocat$4 with (buffer$1 or memory) with (per or each) with (connection$1 or session$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 16:32
S99	56	S98 and @ad<"20010410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 16:36
S100	78	allocat$4 near4 (second adj portion) near4 memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 16:37
S101	51	S100 and @ad<"20010410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 16:53
S102	2846	711/170-173.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 16:43
S103	1810	709/226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 16:46
S104	423	710/56.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 16:46
S105	10	S104 and S103	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 16:47
S106	14	S104 and jitter$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 16:47
S107	9	S106 and @ad<"20010410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 16:53

S108	1170	370/516-517.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 16:53
S109	0	S104 AND S108	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 16:53
S110	201	S108 AND ALLOCAT$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 16:53
S111	173	S110 and @ad<"20010410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 17:03
S112	69	S111 AND JITTER	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 16:56
S113	4	S112 AND VOIP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 17:01
S114	54162	(PLURALITY OR MULTIPLE) ADJ4 NETWORK$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 17:01
S115	2845	S114 AND S84	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 17:02
S116	437	S115 AND JITTER	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 17:02
S117	0	RETRIEV$3 NEAR4 (RECORD$1 OR TABLE$1 OR DATA OR INFORMATION) NEAR7 JITTER	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 17:02

S11 8	28	RETRIEV$3 NEAR4 (RECORD$1 OR TABLE$1 OR DATA OR INFORMATION) NEAR7 JITTER	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 17:02
S11 9	16	S118 and @ad<"20010410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 17:04
S12 0	69	JITTER ADJ (RECORD$1 OR STATISTIC$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 17:12
S12 1	36	S120 and @ad<"20010410"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 17:19
S12 2	99256	(MULTIPLE OR PLURALITY) NEAR5 (CONNECTION$1 OR SESSION$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 17:07
S12 3	1	S122 AND S121	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 17:07
S12 4	4	updat$3 with (JITTER ADJ (RECORD$1 OR STATISTIC$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 17:12
S12 5	5	S121 and (processor or cpu) and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/27 17:19